




ARAB VALVES COMPANY



General Catalog 2017



ISO CERTIFICATS

CATALOG 2017



Management Service

CERTIFICATE

The Certification Body
of TÜV SÜD Management Service GmbH
certifies that

Arab Valves Company Egypt (AV)
A2, 3rd Industrial Zone
10th of Ramadan City, Egypt


has established and applies
a Safety Management System for

**Manufacture of Full and Reduced Bore ball Valves,
Gas Valves, Relief Safety Valves, ball Bibcock Valves,
Angel Valves, Wash Machine valves, Built in Valves,
Brass Fittings and Fluid Control Devices.**

An audit was performed, Report No. **70756466**
Proof has been furnished that the requirements
according to

BS OHSAS 18001:2007

are fulfilled. The certificate is valid until **2012-11-29**
Certificate Registration No. **12 116 37235 TMS**



Munich, 2009-12-11



TGA-ZM-07-02

Registration Certificate

*This is to certify that
the Management Systems of*

Arab Valves Company

*have been assessed by AJA Registrars and registered
against the requirements of*

ISO 9001:2008

Certificate No. : **AJA05/8716** Date of Original Registration : **25/04/2005**

Re-Registration Due : **18/04/2015** Date of Re-Registration : **18/04/2012**



Raymond Stanton *Timothy Dixon*
Non-Client Executive, AJA Registrars



This certificate is issued in respect of the business & scope of registration detailed in the Associated Registration Schedule.
This certificate has been issued by AJA Registrars Limited Unit 6 Gordano Court Gordano Gate Business Park Sebert Close Ipswich Road UK BS20 7FS



CERTIFICATE

The Certification Body
of TÜV SÜD Management Service GmbH
certifies that

Arab Valves Company Egypt (AV)
A2, 3rd Industrial Zone
10th of Ramadan City
Egypt

has established and applies
a Quality Management System for

**Manufacture of Full and Reduced Bore ball Valves,
Gas Valves, Relief Safety Valves, ball Bibcock Valves, Angel Valves,
Wash Machine valves, Built in Valves, Brass Fittings
and Fluid Control Devices.**

An audit was performed, Report No. 70756466.

Proof has been furnished that the requirements
according to

ISO 9001:2008

are fulfilled. The certificate is valid from 2014-09-08 until 2017-09-07.

Certificate Registration No. 12 100 48605 TMS

M. Wegner

Product Compliance Management
Munich, 2014-09-08





Certificates Product

CATALOG 2017

SGS Egypt Ltd.
 1 Osman Road, El Mariouteya
 Haram, Giza, Egypt
 Tel (2-02) 3842811 Fax: (2-02) 3823537
 Certificate No. : F-190201-IND-10/0359/001
 Date & Place of Issuance:
 Cairo, 05/10/2010



SGS

CERTIFICATE OF CONFORMITY

Applicant : Arab Valves Company
Head Office : 7 Mahdy Abdel Monaem, Nasr City, Cairo, Egypt.
Factory : Industrial Zone A2, 10th of Ramadan City, Egypt.

Goods : 1. F611 -Male Compression Coupling – size 15mm x 1/2"
 2. F612 - Female Compression Coupling – size 15mm x 1/2"
 3. F615 – Brass Compression Elbow – size 15mm.

Date of the inspection : 05th to 07th of September, 2010.

This is to report that we, SGS-Egypt on the above mentioned date at the request of M/S Arab valves Co., visited their factory to conduct the below mentioned tests, we now report the followings:

Tested According to Standards:

- **EN 1254-2 Jan. 1998:**
 Above mentioned fittings was tested in accordance to European standard BS EN 1254-2:1998 Copper and Copper Alloys – Plumbing Fittings. Part 2: Fittings with Compression Ends for Use with Copper Tubes.
 - Leak tightness Under hydrostatic pressure (test Item No.5.8)
 - Leak tightness Under internal hydrostatic pressure while it is subjected to bending.
 - Resistance to Pull – Out
 - Pressure Test

Test Sample : Representative three samples of the applicant production was presented by M/S Arab valves Co. and was tested for above mentioned tests according to European standard BS EN 1254-2:1998 copper and copper alloys – Plumbing fittings. Part 2: Fittings with compression ends for use with copper tubes.

Test Results : Passed all tests stated in the standards listed above.

Conclusion:

As a result of our inspection, we confirm that the samples tested were found confirming to the European standard BS EN 1254-2:1998 copper and copper alloys – Plumbing fittings. Part 2: Fittings with compression ends for use with copper tubes. Only for the above tests which were performed and witnessed by SGS inspector

THIS CERTIFICATE REFLECTS OUR FINDINGS AT TIME AND PLACE OF INSPECTION ONLY AND ONLY REPRESENTS THE SELECTED SAMPLES ONLY, THIS CERTIFICATE IS ISSUED UNDER SGS GENERAL TERMS AND CONDITIONS.

SGS inspector
 Ashraf Refaat



For SGS
 Galal Mahmoud

This document is issued by the Company under its General Conditions of Service printed elsewhere. Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. **END OF PAGE** Duplication, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGSPAPER
 08940222





**BUREAU
VERITAS**

EGY/2010/08/45/40/2
Date: 25.09.2010

CERTIFICATE OF CONFORMITY

Issuer : Bureau Veritas Egypt
Manufacturer : Arab Valves company Egypt AV
 Industrial Area A2city .
 10th of Ramadan, Egypt
Product model / Description : F611 – male compression coupling – size 15mm x ½”
 F612 – female compression coupling – size 15mm x ½”
 F615 – Brass compression Elbow – size 15mm .

We Bureau Veritas certify that samples were withdrawn from the product at manufacturer stores and were tested against the **European standard. No. BS EN 1254-2:1998 Copper and copper alloys – Plumbing fittings. Part2: fittings with compression ends for use with copper tubes.**

Tests were done at manufacturers laboratories at 10th of Ramadan City.

The following tests were performed and witness by Bureau Veritas inspector:

- Leaktightness under hydrostatic pressure (test Item No. 5.8)
- Resistance to pull-out
- Leaktightness under internal hydrostatic pressure whilst subjected to bending
- Pressure test

CONCLUSION

As a result of our inspection, we confirm that the samples tested were found confirming to the **European standard BS EN 1254-2:1998 Copper and copper alloys – Plumbing fittings. Part2: fittings with compression ends for use with copper tubes.** Only the above tests were performed and witnessed by Bureau Veritas inspector.


THIS CERTIFICATE REFLECTS OUR FINDINGS AT TIME AND PLACE OF OUR INTERVENTION ONLY AND REPRESENTS THE SELECTED SAMPLES ONLY, THIS CERTIFICATE IS ISSUED UNDER BUREAU VERITAS GENERAL TERMS AND CONDITIONS.

- END OF CERTIFICATE -

Bureau Veritas Egypt

Cairo Office

ENG. Yehia Omar
Industrial Surveyor






**BUREAU
VERITAS**

EGY/2010/08/45/40
Date: 25.09.2010

CERTIFICATE OF CONFORMITY

Issuer : Bureau Veritas Egypt
Manufacturer : Arab Valves company Egypt AV
Industrial Area A2 city,
10th of Ramadan, Egypt
Product model / : F7462 – meter union – size ¾ ”
Description : F7463 – meter union – size 1 ”

We Bureau Veritas certify that samples were withdrawn from the product at manufacturer stores and were tested against the **European standard. No. BS EN 746:2005 + A1:2009 Specification for Gas Meter Unions and Adaptors.**
Tests were done at manufacturers laboratories at 10th of Ramadan City.

CONCLUSION

As a result of our inspection, we confirm that the samples tested were found confirming to the **European standard BS EN 746:2005 + A1:2009 Specification for Gas Meter Unions and Adaptors.**

THIS CERTIFICATE REFLECTS OUR FINDINGS AT TIME AND PLACE OF OUR INTERVENTION ONLY AND REPRESENTS THE SELECTED SAMPLES ONLY, THIS CERTIFICATE IS ISSUED UNDER BUREAU VERITAS GENERAL TERMS AND CONDITIONS.

- END OF CERTIFICATE -

Bureau Veritas Egypt

Cairo Office

ENG. Yehia Omar
Industrial Surveyor





SGS

Member of the SGS Group
(Société Générale de Surveillance)
Geneva, Switzerland
www.sgsgroup.com

Page 1 of 1

Certificate No. : F-190201 /IND080198-01
Date & Place of Issuance:
Cairo, Egypt 25 /09 /2008

Certificate of Conformity

Applicant : Arab Valves Company
Head Office : 7 Mahdy Abdel Monaem, Nasr City, Cairo, Egypt.
Factory : Industrial Zone A2,10th of Ramadan City, Egypt.
Goods : Manually Operated Gas Ball Valves
Items Descriptions : Model : AV 6500, and AV 6550.
: Sizes : ½" Inch, and ¾" Inch.
Date of the inspection : 10th to 17th of September, 2008.

This is to report that we, SGS-Egypt on the above mentioned date at the request of M/S Arab valves Co., visited their factory to conduct the below mentioned tests, we now report the followings:

Tested According to Standards:

- **BS EN 331: 1998:**
Manually operated ball valves and closed bottom taper plug valves for gas installations for buildings.
- **ANSI/ISA-75.02-1996:**
Control Valve Capacity Test Procedures.

Test Sample : Representative samples of the applicant production was picked up according to BS EN 331:1998 and was tested according to the above mentioned standards.

Test Results : Passed all tests stated in the standards listed above.

Conclusion:

We hereby declare that the products named above has been designed and manufactured to comply with the relevant standards listed above. The products comply with all applicable requirements and tests of the standards BS EN 331: 1998, and the rated flow rate comply to ANSI/ISA-75.02-1996.

NB: Based on report No : F-190201 /IND080198-02

Ashraf Refaat
Senior Inspector
A. Refaat



Samy Nazeem
Operation Manager
S. Nazeem

This document is issued by the Company under its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdiction clauses defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not represent parties to a transaction from exercising all their rights and obligations under the transaction document. **END OF PAGE** Inquiries, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGSPAPER
07308170



1 Osman Road, El Mariouteya
 Haram, Giza, Egypt
 Tel (2-02) 3842811 Fax: (2-02) 3823537
 Certificate No. : F-190201-IND-10/0359/002
 Ref. Report No.: F-190201-IND-10/0359/002
 Date & Place of Issuance:
 Cairo, 05/10/2010



SGS

Certificate of Conformity

Applicant : Arab Valves Company
Head Office : 7 Mahdy Abdel Monaem, Nasr City, Cairo, Egypt.
Factory : Industrial Zone A2,10th of Ramadan City, Egypt.
Goods & Items : 1. F7462 – Meter Union 3/4”
 2. F7463 – Meter Union 1”
Descriptions
Date of the inspection : (5&7) / 9 / 2010.

This is to report that we, SGS-Egypt on the above mentioned date at the request of M/S Arab valves Co., visited their factory to conduct the below mentioned tests, we now report the followings:

Tested According to Standards:

- BS EN 746:2005 + A1 2009:

Specification for Gas Meter Unions and adaptors

- **Test Sample** : Representative samples of the applicant production was picked up according to BS EN 746:2005 +A1 2009; and was tested according to the above mentioned standards.

Test Results : Passed all tests stated in the standards listed above.

Conclusion:

- We hereby declare that the products named above has been designed and manufactured to comply with the relevant standards listed above. The products comply with all applicable requirements and tests of the standards BS EN 746:2005 + A1 2009 :- **Specification for Gas Meter Unions and adaptors**

SGS inspector
 Ashraf Refaat

For SGS
 Galal Mahmoud



This document is issued by the Company under its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute

SGSPAPER



SGS Egypt Ltd.
1 Osman Road, El Mariouteya
Haram, Giza, Egypt
Tel (2-02) 33842811 Fax: (2-02) 33823537
Certificate No. : F190201-IND100359-005
Date & Place of issuance:
Cairo, 08/11/2010



SGS

Certificate of conformity

Applicant: Arab Valves Company (Egypt) –AV
Head office: 7 Mahdy Abdel Monaem, Nasr city, cairo, Egypt.
Factory: Industrial Zone A2, 10th of Ramadan city, Egypt.

Item Description: AV GS77MG: Brass Adaptor 1/2" X 18mm M/F
AV GS81ATS: Brass Adaptor 1/2 "X 16mm F/F

Date of the inspections : November 07, 2010.

This is to report that we, SGS-Egypt on the above mentioned date at the request of M/S Arab Valves Co., visited their factory to conduct the below mentioned tests, we now report the following:

Tested According to Standards:

BS EN 1254-4:1998 Copper and Copper Alloys-Plumbing Fittings
BS 21:1985 Pipe Threads for Tubes and Fittings

Test Sample: Representative samples of the applicant production was picked up according to **BS EN 1254-4:1998 & BS 21:1985** and was tested according to the above mentioned standards.

Test Result: Passed all tests stated in the standard listed above.

Conclusion:

As a result of our inspection, we confirm that the samples tested were found confirming to the **European standard BS EN 1254-4:1998 Copper and Copper Alloys-Plumbing Fittings & BS EN 21:1985 Pipe Threads for Tubes and Fittings**. Only the tests were performed and witnessed by SGS-Egypt inspector.

THIS CERTIFICATE REFLECTS OUR FINDINGS AT TIME AND PLACE OF OUR INTERVENTION ONLY AND REPRESENTS THE SELECTED SAMPLES ONLY, THE CERTIFICATE IS ISSUED UNDER SGS-EGYPT GENERAL TERMS AND CONDITIONS.

SGS Inspector
Ashraf Refaat



For SGS
Galal Mahmoud

This document is issued by the Company under its General Conditions of Service available at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
Any other holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

This document is issued by the Company under its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGSPAPER
09130030





وزارة الصناعة والتمهاتة التجارية
الهيئة المصرية العامة للمواصفات والجودة

شهادة ترخيص بعلامة الجودة

اسم الشركة : الشركة العربية للمحابس

العنوان : قطعة رقم ٥ ، ٣ ، ٤ المنطقة الصناعية الثابتة A2
مدينة العاشر من رمضان - الشرقية

السلعة المرخص لها بعلامة الجودة : لأكور عداد غاز مقياس (٣ / ٤ ، ١) بوصة

المواصفات القياسية : BS 746/2005 + A1:2009

تاريخ الإصدار : ٢٠١٥ / ٢ / ١

صلاحية الترخيص : عامان

رقم الشهادة : ٢٠١٥ / ٩٩ / ٠٦٢ / م / ٥

للمجلس الإداري
٢٠١٥

د. محمد ص. حسن أحمد محمد المجدد



مدير عام الجودة

د. إبراهيم ثابت سعيد

العنوان : ١٦ شارع تدريب المربين - الأسيوطي - القاهرة
ت : ٠٢٢٢٨٤٥٥٢٢ / ٠٢٢٢٨٤٥٥٢٤ فاكس : ٠٢٢٢٨٤٥٥٠٤
البريد الإلكتروني : eos@idsc.net.eg



وزارة الصناعة والتمهنة الاقتصادية
الهيئة المصرية العامة للمواصفات والجودة

شهادة ترخيص بعلامة الجودة

اسم الشركة : الشركة العربية للمحابس

العنوان : قطعة رقم ٤ / ٣ / ٥ المنطقة الصناعية الثانية A2
مدينة العاشر من رمضان - الشرقية

السلعة المرخص لها بعلامة الجودة : المحابس الكروية اليدوية المستخدمة في تركيبات الغاز
للمباني مقاسات (٢ / ١ ، ٣ ، ٤ / ١) بوصة

المواصفات القياسية : BS EN 331/1998 + A1/2010

تاريخ الإصدار : ٢٠١٤ / ٣ / ١

صلاحية الترخيص : عامان

رقم الشهادة : ٢٠١٤ / ٢٩٥ / ٠١٨ / م / ٥

مجلس الإدارة
د. محمد حس. حسن أحمد عبد المجيد



مدير عام الجودة
د. إبراهيم ثابتة سعيد

العنوان : ١٦ شارع تدريب المصريين - الأميرية - القاهرة
ت : ٠٢٢٢٨٤٥٥٧٢ / ٠٢٢٢٨٤٥٥٧٢ فاكس : ٠٢٢٢٨٤٥٥٠٤
البريد الإلكتروني : eos@idsc.net.eg

وزارة الصناعة والتجارة الخارجية
المركز المصري العام للمواصفات والجودة



شهادة ترخيص بعلامة الجودة

اسم الشركة : الشركة العربية للمحابس

العنوان : قطعة رقم ٥ ، ٣ ، ٤ المنطقة الصناعية الثانية A2
مدينة العاشر من رمضان - الشرقية

السلعة المرخص لها بعلامة الجودة : وصلات نحاس طرازات (AV 611 - AV 612 - AV 615)

المواصفات القياسية : BS EN 1254-2/1998

تاريخ الإصدار : ٢٠١٥ / ٢ / ١

صلاحية الترخيص : عامان

رقم الشهادة : ٢٠١٥ / ٩٨ / ٠٦١ / م / ٥



مجلس الإدارة
٢٠١٥
د. محمد حسن أحمد محمد العجيد

مدير عام الجودة
د. إيزيس ثابتة سعيد

العنوان : ١٦ شارع تدريب المدربين - الأبيسرية - القاهرة
ت : ٢٢٢٨٤٥٥٧٢ / ٢٢٢٨٤٥٥٧٣ فاكس : ٢٢٢٨٤٥٥٠٤
البريد الإلكتروني : eos@idsc.net.eg